WorkForce Pro WF-M5298DW



This mono printer increases productivity, while reducing intervention, your business printing costs and environmental impact.

Take advantage of low power consumption, a low Total Cost of Ownership (TCO), a fast First Page Out Time (FPOT) and features designed for easy business integration with the new WorkForce Pro WF-M5298DW. This business inkjet printer benefits from automatic double-sided printing, making any job easy and efficient, and PDL compatibility, including PCL and PostScript 3.

High productivity and low intervention

Delivering the fastest (FPOT) in its segment of 4.8 seconds against comparable lasers¹. Print up to 40,000 pages without changing supplies with the largest ink yield in this segment². A simple paper path and non contact printing allows it to print on a wide range of media including recycled paper, glossy media, envelopes and labels. Features a 251-sheet paper input capacity.

Energy saving and CSR

Benefit from significantly fewer consumables due to its high yield and inkjet technology. The energy used while printing is at least 90% less than comparable laser models¹, helping to cut your energy bills and boost your CSR.

Built for business

Perfect for small workgroups with a high print volume, typically within larger organisations where a robust mono printing solution is demanded. A range of software and tools provide secure print options and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. Its user interface is intuitive and easy to operate.

DATASHEET / BROCHURE



KEY FEATURES

- Save time With a fast FPOT
- Low intervention Print with minimal downtime
- Save time High yield and paper capacity mean less time is spent refilling
- Built for business PDL compatibility (PCL and PostScript 3)
- PrecisionCore technology Epson's most advanced printhead technology



PRODUCT SPECIFICATIONS

TECHNOLOGY				
Printing Method	PrecisionCore™ Print Head			
Minimum Droplet Size	With Variable-Sized Droplet Technology			
Ink Technology	DURABrite™ Ultra			
Category	Office Workgroup			
All-in-One Functions	Print			
PRINT				
First Page Out	Monochrome 4.8 Seconds			
Printing Speed ISO/IEC 24734	1 24 pages/min Monochrome			
Duplex Printing Speed	15 A4 Pages/min Monochrome			
ISO/IEC 24734				
Maximum Printing Speed	34 pages/min Monochrome (plain paper 75 g/m²)			
Printing Resolution	1,200 x 2,400 DPI			
Printing Volume	45,000 pages per month			
	The maximum number of printed pages per month based on the performance capabilities of			
	the printer, including ISO rated print speeds and paper handling capabilities.			
Recommended Duty Cycle	250 - 2,500 pages per month			
Colours	Black			
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.			
CONNECTIVITY				
Network Printing Protocols	LPR, FTP, IPP, LDP, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint			
Network Management	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE			
Protocols	802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP			
	2.0c, SNMP 3.0, SNMP Trap			
Network Scanning Protocols	NetBIOS over TCP/IP, Bonjour/Airprint, FTP			
Interfaces	Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible			
	with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near			
	Field Communication (NFC)			
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES)			
Network Protocol	TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS			
PAPER / MEDIA HANDLING Paper Formats	C4 (Envelope), Legal, A6 (10.5x14.8 cm), A5 (14.8x21.0 cm), B5 (17.6x25.7 cm), Letter, 9 x 13			
i upor i orinato	cm, 10 x 15 cm, 13 x 18 cm, A4 (21.0x29.7 cm), B6 (12.5x17.6 cm), C5 (Envelope), No. 10			
	(Envelope), User defined, C6 (Envelope), DL (Envelope)			
Compatible Paper Weight	64 g/m ² - 256 g/m ²			
Duplex	Yes			
Standard Paper input	251 Sheets Standard, 1 Sheets MP tray, 250 Sheets paper tray			
Output Tray Capacity	150 Sheets			
	1-Sheet paper tray, 250-sheet paper tray			
Standard paper tray(s) Maximum paper input Number of paper trays	1-Sneet paper tray, 250-sneet paper tray 251 1			

WorkForce Pro WF-M5298DW

WHAT'S IN THE BOX

- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)
- Initialization Ink Supply Units



PRODUCT SPECIFICATIONS

SPECGROUPNAMEPAPER	FEEDMPT		
Paper Input Name	МРТ		
Paper Formats	A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal		
Paper Capacity 1	Sheets of Plain Paper, Labels, 80gsm		
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead		
PAPER FEED C1			
Paper Input Name	C1		
Paper Formats	A4, A5, A6, Letter		
Custom sizes	Min 89x 127 mm to Max 216x 356 mm		
Compatible paper weight	64 g/m ² - 160 g/m ²		
Paper Capacity 1	250 Sheets of Plain Paper, Envelopes, 80gsm		
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead		
	Fiair Faper, necycled Faper, Colour Faper, Letterneau		
PAPER FEED DUPLEX			
Paper Input Name	Duplex		
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive		
Custom sizes	Min 148x 210 mm to Max 216x 297 mm		
Compatible paper weight	64 g/m² - 160 g/m²		
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead		
GENERAL			
Energy Use	1.2 Watt (sleep mode), 22 Watt (Printing), 8 Watt (Ready), 0.2 Watt (Power off), TEC 0.16		
	kWh/week		
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz		
Product dimensions	425 x 508 x 290 mm (Width x Depth x Height)		
Product weight	14 kg		
Compatible Operating	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS		
Systems	10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac O		
	X 10.12.x, Mac OS X 10.6.8, SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8,		
	Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008		
	(32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2,		
	Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64,		
	Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XF		
	Professional x64 Edition, XP Professional x64 Edition SP2		
Mobile and Cloud printing	Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print		
services			
Power supply	220V, 240V		
ADDITIONAL FEATURES Features	Direct Print, Direct print from USB		
Panel	Type: Color, Diagonal: 6.1 cm		
Paner Media Handling			
-	Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support		
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code		
	release, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode		
OTHER FEATURES			
OTHER FEATURES Emulations	PCL6, PostScript 3, ESC/P-R, PDF 1.7, PCL5e		
	PCL6, PostScript 3, ESC/P-R, PDF 1.7, PCL5e		
Emulations	PCL6, PostScript 3, ESC/P-R, PDF 1.7, PCL5e		



SUPPLIES

- WF-M52xx/57xx Series Ink Cartridge XXL Black
- WF-M52xx/57xx Series Ink Cartridge XL Black
- WF-M52xx/57xx Series Ink Cartridge L Black

Maintenance box

LOGISTICS INFORMATION

SKU	C11CG08401BY
EAN code	8715946634326
Country of Origin	Indonesia
Layer	2 Units
Layer Block	2 Units

WorkForce Pro WF-M5298DW

INK YIELD DATA

C13T966140 40,000 pages

C13T964140 5,000 pages

10,000 pages

C13T965140

C13T671600

Dios.	T9641	T9651	T9661
•	5,000	10,000	40,000
	pages*	pages*	pages*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield



For more information please contact: Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras.

Web: www.epson.co.uk www.epson.ie Comparison made against the top 10 best selling mono laser printers in Western Europe and Central and Eastern Europe, with a print speed between 21 and 45 pages per minute, as defined by IDC in the 12 months up to December 2017. Data taken from BLI where possible, or as stated by manufacturers' websites.
Approx. page yield. Actual yield will vary depending

2. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Comparison made against the top 20 best selling mono laser printers in Western Europe and Central and Eastern Europe, with a print speed between 21 and 45 pages per minute, as defined by IDC in the 12 months up to December 2017. Data taken from BLI where possible, or as stated by manufacturers' websites.



Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2020-11-20